

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L15	0	((query or question or solicit) near (sector adj database or storage) and ((active or candidate set)) and (identify and threshold or (signal strength)) with (position or location)) with (mobile or wireless adj phone or terminal).clm.	US-PGPUB	OR	ON	2006/03/16 12:17

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	399	(query or question or solicit) near (sector adj database or storage)	US-PGPUB; USPAT	OR	OFF	2005/05/30 08:30
S2	379	(query or question or solicit) near (sector adj database or storage) and (active or candidate set)	US-PGPUB; USPAT	OR	OFF	2004/09/10 12:23
S3	215	(query or question or solicit) near (sector adj database or storage) and (active or candidate set) and identify	US-PGPUB; USPAT	OR	OFF	2004/09/10 12:36
S4	1795429	(query or question or solicit) near (sector adj database or storage) and (active or candidate set) and identify and threshold or (signal strength)	US-PGPUB; USPAT	OR	OFF	2004/09/10 12:25
S5	26	(query or question or solicit) near (sector adj database or storage) and ((active or candidate set)) and (identify and threshold or (signal strength)) with (position or location)	US-PGPUB; USPAT	OR	OFF	2005/11/02 17:28
S6	2	((query or question or solicit) near (sector adj database or storage) and ((active or candidate set)) and (identify and threshold or (signal strength)) with (position or location)) with (mobile or wireless adj phone or terminal)	US-PGPUB; USPAT	OR	OFF	2006/03/16 12:14
S7	2	(query or question or solicit) near (sector adj database or storage) and (active adj set or candidate adj set) and identify	US-PGPUB; USPAT	OR	OFF	2004/09/10 12:37
S8	108	CDMA with ((active adj set) or (candidate adj set))	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:29
S9	7	CDMA with ((active adj set) or (candidate adj set)) near2 (select\$3 or determin\$3)	US-PGPUB; USPAT	OR	OFF	2005/05/27 15:29
S10	9	determin\$3 with (geo-location or geolocation or position or location or geographic) with (sector or site or cell) with (active near2 set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/27 15:57
S11	784	(handoff or handover or hand-off or hand-over) with (active adj set and sector\$2 list)	US-PGPUB; USPAT	OR	OFF	2004/09/11 11:59

EAST Search History

S12	767	((handoff or handover or hand-off or hand-over) with (active adj set and sector\$2 list)) and (mobile or phone or terminal)	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:01
S13	49865	(mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic)	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:02
S14	294	((((handoff or handover or hand-off or hand-over) with (active adj set and sector\$2 list)) and (mobile or phone or terminal)) and ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic)))	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:02
S15	5577	determin\$3 with ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic))	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:03
S16	98	(((((handoff or handover or hand-off or hand-over) with (active adj set and sector\$2 list)) and (mobile or phone or terminal)) and ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic))) and (determin\$3 with ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic)))	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:05
S17	34	(((((handoff or handover or hand-off or hand-over) with (active adj set and sector\$2 list)) and (mobile or phone or terminal)) and ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic))) and (determin\$3 with ((mobile or phone or terminal) near3 (position or location or geo-location or goallocation or geographic))) and (@pd<"20010717")	US-PGPUB; USPAT	OR	OFF	2004/09/11 12:07
S18	1	"5434950".pn.	USPAT	OR	OFF	2004/09/12 15:39
S32	162	CDMA with ((active adj set) or (candidate adj set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:29

EAST Search History

S33	9	CDMA with ((active adj set) or (candidate adj set)) near2 (select\$3 or determin\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:15
S34	9	S32 and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:30
S35	9	S32 same S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 15:30
S36	10	determin\$3 with (geo-location or geolocation or position or location or geographic) with (sector or site or cell) with (active near2 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/27 16:12
S37	3	(wireless adj telephone or terminal) with (clock near calendar and calculator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 08:42
S38	10	(wireless adj telephone or phone or terminal) with (clock near calendar and calculator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 08:50
S39	717	(wireless adj telephone or phone or terminal) with (clock near calendar and calculator and paper memo)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 08:50
S40	9	(wireless adj telephone or phone or terminal) with (clock near calendar and calculator and paper memo) same GPS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/30 08:50

EAST Search History

S41	218	(query\$3 or question\$3 or solicit\$3) same ((sector adj database) or storage) same ((active or (candidate set))) same (identify and threshold or (signal strength)) with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:51
S43	32	((query or question or solicit) same (sector adj database or storage) same ((active or candidate set)) same (identify and threshold or (signal strength)) with (position or location)) same ((mobile or wireless) adj phone or terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:51
S44	31	S41 and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:32
S45	4514	(propos\$3 select\$3) same ((sector adj database) or storage) same ((active or (candidate set))) same (identify and threshold or (signal strength)) with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:58
S46	986	((propos\$3 select\$3) same ((sector adj database) or storage) same ((active or candidate set)) same (identify and threshold or (signal strength)) with (position or location)) same ((mobile or wireless) adj phone or terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:59
S47	986	S45 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:52
S48	31126	(selct\$3 choos\$3 determin\$3) same (sectors or (active adj (gropus or sets)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:54
S49	50	S47 and S48	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:54

EAST Search History

S50	39676	((propos\$3 select\$3) same ((active or (candidate set))) same (identify and threshold or (signal strength)) with (position or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:58
S51	7275	((propos\$3 select\$3) same ((active or candidate set)) same (identify and threshold or (signal strength)) with (position or location)) same ((mobile or wireless) adj phone or terminal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:00
S52	7275	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 17:59
S53	37	(CDMA) near3 (active adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:00
S54	1144228	(determin\$3) same (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:01
S55	795	S53 and16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:01
S56	9	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:10
S58	6	(creat\$3 or build\$3) with (active adj set) with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:13

EAST Search History

S59	12494	(query\$3 or verify\$3) same (database) same (active sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:13
S60	929	(select\$3) same (active adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:13
S61	9	S59 and S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 18:13
S63	51400	(select\$3 choos\$3 determin\$3) same (sectors or (active adj (groups or sets)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 14:34
S64	56	(select\$3 choos\$3 determin\$3) same (sectors or (active adj (groups or sets))) with ((mobile or wireless) adj (phone or terminal)) with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 17:52
S65	56	S63 and S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 14:35
S66	56	S63 same S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 17:51
S67	40	(softer softer) with (active adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 17:51

EAST Search History

S68	17	S67 and "64"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:30
S69	205	(candidate with list).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:35
S70	87	(active with list).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:36
S71	2	S69 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:30
S72	5	(active with list).ti. with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:32
S73	14	(candidate with list).ti. with (position or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 18:34
S76	1	(candidate with list).ti. with (position or location) same ((mobile or wireless) adj (phone or terminal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:16
S77	11	(candidate with list).ti.	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 19:57
S78	1	(active with list).ti.	US-PGPUB; USPAT	OR	ON	2005/11/03 18:37
S79	6	(active with list) near3 (mobile adj terminal)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 20:03

EAST Search History

S80	4	(active with list) near3 (mobile adj (phone or station)) same (position or location)	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 20:05
S81	2	(provid\$3 or selct\$3) with (active with list) near3 (mobile adj (phone or station))	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 20:46
S82	428	"5,267,261"	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 20:46
S83	1	"5,267,261".pn.	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 21:07
S84	53893	(select\$3) with (active with (sets or group or list or cells))	US-PGPUB; USPAT; JPO	OR	ON	2006/03/16 11:15
S85	3617	(determin\$3 verify\$3) same (position or location) same (mobile adj (phone or station))	US-PGPUB; USPAT; JPO	OR	ON	2006/03/16 12:15
S86	68	S84 and S85	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 21:15
S87	4	S84 same S85	US-PGPUB; USPAT; JPO	OR	ON	2005/11/03 21:10